



6.3KW 8.2KW Diesel Powered Welder Generator Single Cylinder

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: GET
- Certification: ISO CE
- Price: Negotiable
- Delivery Time: 15-20 workdays
- Payment Terms: LC, T/T, PayPal, Western Union, Small-amount payment, Money Gram



Product Specification

- Rated Frequency: 50hz 60hz
- Rated Power (kw): 2.5
- Rated Voltage (V): 220V Or As Request
- Rated Current (A): 8.7 9.5A
- Rated Rotation Speed (r/min): 3000 3600
- Phase No.: Single Phase
- Power Factor: 1
- No Load Welding Voltage: 65-70V
- Insulation Grade: F
- Pole Number: 2
- Engine Mode: GET186FA GET192F
- Displacement(ml): 418 456
- Engine Type: Single Cylinder, Vertical, Four Stroke, Direct Injection, Air-cooled
- Bore X Stroke (mm): 4.00x70/4.00x75

for more products please visit us on dieselenginepumps.com

Product Description

GET6500EAW Diesel Welder Generator Diesel Operated Welding Machine

The welding generator is a device that integrates power generation and welding functions. It has the following characteristics:

1. Dual functions of power generation and welding: The welding generator can provide power generation and welding functions at the same time. It can provide power for power tools, lighting equipment and other electrical equipment in the field, while also providing the required current and voltage for welding operations.
2. Flexible and portable: Welding generators usually have a lightweight, compact design that is easy to carry and move. This makes them suitable for a variety of workplaces, whether indoors or outdoors, and can be used flexibly.
3. High power output: Welding generators usually have high power output capabilities and can meet the needs of different working scenarios. They can provide enough power to power large power tools, equipment and welding machines to support a variety of work tasks.
4. Stable current and voltage output: The welding generator can provide stable current and voltage output to ensure the quality and stability of welding operations. This is essential to obtain good weld joints and avoid welding defects.
5. Multiple welding modes: Welding generators often have multiple welding modes and setting options to suit different welding needs. They can support different types of welding, such as manual arc welding, argon arc welding, nickel metal hydride welding, etc.

Rated Power (kw):	2 5
Rated Current (A):	8.7 9.5A
Phase No.:	Single Phase
No Load Welding Voltage:	65-70V
Pole Number:	2
Displacement(ml):	418 456
Bore X Stroke (mm):	1-86x72/ 1-92x75
Rated Power:	5.7 6.3/ 7.2 8.2
Lube Oil Brand:	CD Grade Or SAE10W-30, 15W-40
Fuel Type:	0#(summer)-10#(winter)-35#(chillness) Diesel
Fuel Tank Capacity (L):	13.5
Rated Welding Current:	180A 220A
Welding Load Continuous Ratio:	60%
Electrode Diameter:	1.6-3.2mm 1.6-5.0mm
Rectifying Mode:	Diode
Overall Dimension:	720x492x655mm
Dry Weight:	112kg 116kg
Rated Frequency:	50hz 60hz
Rated Voltage (V):	220V Or As Request
Rated Rotation Speed (r/min):	3000 3600
Power Factor:	1
Insulation Grade:	F
Engine Mode:	GET186FA GET192F
Engine Type:	Single Cylinder, Vertical, Four Stroke, Direct Injection, Air-cooled
Compression Ratio:	19:01
Lubrication System:	Pressure Splashed
Lube Capacity (L):	1.65
Fuel Consumption (g/kw*h):	≤280
Continuous Running Time:	8h
Welding Voltage:	25-30V
Welding Current Adjustment Range:	50-180A/ 50-200A
Excitation Mode:	Seperate-excitation+AVR Voltage Regulation AVR
Connection Mode:	Drive Bearing, Rigid Connection
Structure Type:	Open Type



参数表 Specifications

Pin	Signal	Pin	Signal	Pin	Signal	Pin	Signal
1	5V	17	5V	33	5V	49	5V
2	NC	18	NC	34	NC	50	NC
3	NC	19	NC	35	NC	51	NC
4	NC	20	NC	36	NC	52	NC
5	NC	21	NC	37	NC	53	NC
6	NC	22	NC	38	NC	54	NC
7	NC	23	NC	39	NC	55	NC
8	NC	24	NC	40	NC	56	NC
9	NC	25	NC	41	NC	57	NC
10	NC	26	NC	42	NC	58	NC
11	NC	27	NC	43	NC	59	NC
12	NC	28	NC	44	NC	60	NC
13	NC	29	NC	45	NC	61	NC
14	NC	30	NC	46	NC	62	NC
15	NC	31	NC	47	NC	63	NC
16	NC	32	NC	48	NC	64	NC
17	NC	33	NC	49	NC	65	NC
18	NC	34	NC	50	NC	66	NC
19	NC	35	NC	51	NC	67	NC
20	NC	36	NC	52	NC	68	NC
21	NC	37	NC	53	NC	69	NC
22	NC	38	NC	54	NC	70	NC
23	NC	39	NC	55	NC	71	NC
24	NC	40	NC	56	NC	72	NC
25	NC	41	NC	57	NC	73	NC
26	NC	42	NC	58	NC	74	NC
27	NC	43	NC	59	NC	75	NC
28	NC	44	NC	60	NC	76	NC
29	NC	45	NC	61	NC	77	NC
30	NC	46	NC	62	NC	78	NC
31	NC	47	NC	63	NC	79	NC
32	NC	48	NC	64	NC	80	NC
33	NC	49	NC	65	NC	81	NC
34	NC	50	NC	66	NC	82	NC
35	NC	51	NC	67	NC	83	NC
36	NC	52	NC	68	NC	84	NC
37	NC	53	NC	69	NC	85	NC
38	NC	54	NC	70	NC	86	NC
39	NC	55	NC	71	NC	87	NC
40	NC	56	NC	72	NC	88	NC
41	NC	57	NC	73	NC	89	NC
42	NC	58	NC	74	NC	90	NC
43	NC	59	NC	75	NC	91	NC
44	NC	60	NC	76	NC	92	NC
45	NC	61	NC	77	NC	93	NC
46	NC	62	NC	78	NC	94	NC
47	NC	63	NC	79	NC	95	NC
48	NC	64	NC	80	NC	96	NC
49	NC	65	NC	81	NC	97	NC
50	NC	66	NC	82	NC	98	NC
51	NC	67	NC	83	NC	99	NC
52	NC	68	NC	84	NC	100	NC
53	NC	69	NC	85	NC	101	NC
54	NC	70	NC	86	NC	102	NC
55	NC	71	NC	87	NC	103	NC
56	NC	72	NC	88	NC	104	NC
57	NC	73	NC	89	NC	105	NC
58	NC	74	NC	90	NC	106	NC
59	NC	75	NC	91	NC	107	NC
60	NC	76	NC	92	NC	108	NC
61	NC	77	NC	93	NC	109	NC
62	NC	78	NC	94	NC	110	NC
63	NC	79	NC	95	NC	111	NC
64	NC	80	NC	96	NC	112	NC
65	NC	81	NC	97	NC	113	NC
66	NC	82	NC	98	NC	114	NC
67	NC	83	NC	99	NC	115	NC
68	NC	84	NC	100	NC	116	NC
69	NC	85	NC	101	NC	117	NC
70				102		118	

 13813650506
  2415819289@qq.com
  dieselenginepumps.com

NO.88 Shenxing East Road, Wanshi Town, Yixing City, CHINA